



Conventional Type (CT)

Triangular Type (TT)

Asymmetrical Type (AT)

Frill Type (FT)

Antique Type (QT)

Cittern Type (ZT)

NEW

### NICKEL SILVER FRETS (CT):

Sintoms fret code	Dimensions, mm			
	Crown width B	Crown height E	Fret height A	Tang width D
153058	1.53	0.58	2.04	0.5
190070	1.9	0.7	2.5	0.5
200070	2.0	0.70	2.45	0.5
206109	2.06	1.09	2.49	0.42
210128	2.1	1.28	2.71	0.5
215114	2.15	1.14	2.57	0.5
228118	2.28	1.18	2.68	0.5
230070	2.3	0.7	2.8	0.5
230140	2.3	1.4	2.82	0.5
241138	2.41	1.38	2.75	0.5
249119	2.49	1.19	2.95	0.5
270091	2.7	0.91	2.8	0.5
280140	2.8	1.4	3.3	0.5
290104	2.9	1.04	2.75	0.5
290130	2.9	1.3	3.0	0.5
300147	3.0	1.47	3.25	0.5
433259	4.33	2.59	4.5	0.5

### NICKEL SILVER REPAIR FRETS (CT):

Sintoms fret code	Dimensions, mm			
	Crown width B	Crown height E	Fret height A	Tang width D
REF204109	2.04	1.09	2.44	0.53
REF240117	2.4	1.17	2.83	0.63
REF264091	2.64	0.91	3.1	0.63
REF280140	2.8	1.4	3.46	0.63
REF293147	2.93	1.47	3.3	0.63

### NICKEL SILVER EQUAL HIGH FRETS LINE # 1 WITH 1,08 MM CROWN HEIGHT (CT):

Sintoms fret code	Dimensions, mm			
	Crown width B	Crown height E	Fret height A	Tang width D
EQH180108	1.8	1.08	2.5	0.5
EQH206108	2.06	1.08	2.42	0.5
EQH230108	2.3	1.08	2.3	0.5
EQH240108	2.4	1.08	2.68	0.5
EQH265108	2.65	1.08	2.95	0.5
EQH280108	2.8	1.08	3.1	0.5

<b>NICKEL SILVER EQUAL HIGH FRETS LINE # 2 WITH 1,4 MM CROWN HEIGHT (CT):</b>				
<b>Sintoms fret code</b>	<b>Dimensions, mm</b>			
	<b>Crown width B</b>	<b>Crown height E</b>	<b>Fret height A</b>	<b>Tang width D</b>
<b>EQH230140</b>	2.3	1.4	2.82	0.5
<b>EQH250140</b>	2.5	1.4	2.98	0.5
<b>EQH270140</b>	2.7	1.4	2.95	0.5
<b>EQH280140</b>	2.8	1.4	3.3	0.5

<b>NICKEL SILVER TRIANGULAR FRETS (TT):</b>					
<b>Sintoms fret code</b>	<b>Dimensions, mm</b>				
	<b>Crown width B</b>	<b>Crown height E</b>	<b>Fret height A</b>	<b>Tang width D</b>	<b>Radius R</b>
<b>245120.070</b>	2.45	1.2	3.3	0.6	0.7
<b>249119.100</b>	2.49	1.19	2.98	0.5	1.0
<b>274139.080</b>	2.74	1.39	3.45	0.5	0.8
<b>277140.125</b>	2.77	1.4	3.26	0.5	1.25

<b>NICKEL SILVER ASSYMETRICAL FRETS (AT):</b>							
<b>Sintoms fret code</b>	<b>Dimensions, mm</b>						
	<b>Crown width B</b>	<b>Crown height E</b>	<b>Fret height A</b>	<b>Tang width D</b>	<b>Center offset d</b>	<b>Radius R</b>	<b>Radius R1</b>
<b>ASF185109.010.135.030</b>	1.85	1.09	2.4	0.46	0.1	1.35	0.3
<b>ASF213140.010.135.050</b>	2.13	1.4	2.8	0.5	0.1	1.35	0.5
<b>ASF230117.010.135.050</b>	2.3	1.17	2.75	0.5	0.1	1.35	0.5
<b>ASF245090.010.135.050</b>	2.45	0.9	2.4	0.5	0.1	1.35	0.5
<b>ASF260140.010.135.070</b>	2.6	1.4	2.7	0.5	0.1	1.35	0.7
<b>ASF280148.010.135.070</b>	2.8	1.48	2.9	0.5	0.1	1.35	0.7

<b>NICKEL SILVER FRILL FRETS (FT):</b>						
<b>Sintoms fret code</b>	<b>Dimensions, mm</b>					
	<b>Crown width B</b>	<b>Crown height E</b>	<b>Fret height A</b>	<b>Tang width D</b>	<b>Radius R</b>	<b>Radius R1</b>
<b>FRF252140</b>	2.52	1.40	2.9	0.5	1.5	0.5

**NEW**

<b>NICKEL SILVER ANTIQUE FRETS (QT):</b>					
<b>Sintoms fret code</b>	<b>Dimensions, mm</b>				
	<b>Crown width B</b>	<b>Crown height E</b>	<b>Fret height A</b>	<b>Tang width D</b>	<b>Radius R</b>
<b>ANT190.100</b>	1.9	4.1	7.1	1.9	1.00

**NEW**

<b>NICKEL SILVER CITTERN FRETS (ZT):</b>				
<b>Sintoms fret code</b>	<b>Dimensions, mm</b>			
	<b>Crown width B</b>	<b>Fret height A</b>	<b>Tang width D</b>	<b>Radius R</b>
<b>ZTR090.100</b>	0.9	7.1	0.9	1.0
<b>ZTR110.100</b>	1.1	7.1	1.1	1.0
<b>ZTR190.100</b>	1.9	7.1	1.9	1.0



**STAINLESS STEEL FRETS (CT):**

	Dimensions, mm				
	Crown width B	Crown height E	Fret height A	Tang width D	
	SS120065	1.2	0.65	1.5	0.4
	SS165062	1.65	0.62	2.25	0.5
<b>NEW</b>	SS210128	2.1	1.28	2.63	0.5
	SS215110	2.15	1.1	2.5	0.5
<b>NEW</b>	SS228118	2.28	1.18	2.58	0.5
	SS230122	2.3	1.22	2.55	0.5
<b>NEW</b>	SS230140	2.3	1.4	2.79	0.5
<b>NEW</b>	SS240130	2.4	1.3	2.95	0.6
<b>NEW</b>	SS250118	2.5	1.18	2.75	0.5
	SS265105	2.65	1.05	2.55	0.5
	SS277140	2.77	1.4	3.3	0.5
<b>NEW</b>	SS290140	2.9	1.4	3.3	0.6

**STAINLESS STEEL EQUAL HIGH FRETS LINE #1 WITH 1,09 MM CROWN HEIGHT (CT):**

	Dimensions, mm				
	Crown width B	Crown height E	Fret height A	Tang width D	
	EQHSS185109	1,85	1,09	2,35	0,5
	EQHSS212109	2,12	1,09	2,47	0,5
	EQHSS219109	2,19	1,09	2,46	0,5
	EQHSS248109	2,48	1,09	2,62	0,5
	EQHSS267109	2,67	1,09	2,5	0,5

**STAINLESS STEEL EQUAL HIGH FRETS LINE #2 WITH 1,4 MM CROWN HEIGHT (CT):**

	Dimensions, mm				
	Crown width B	Crown height E	Fret height A	Tang width D	
	EQHSS230140	2,3	1,4	2,82	0,5
	EQHSS250140	2,5	1,4	2,85	0,5
	EQHSS268140	2,68	1,4	2,85	0,5
	EQHSS280140	2,8	1,4	3,3	0,5

**STAINLESS STEEL ASSYMETRICAL FRETS (AT):**

	Dimensions, mm							
	Crown width B	Crown height E	Fret height A	Tang width D	Center offset d	Radius S R	Radius R1	
	ASFSS185108.010.135.030	1.85	1.08	2.5	0.48	0.1	1.35	0.3
	ASFSS205123.010.135.050	2.05	1.23	2.6	0.5	0.1	1.35	0.5
	ASFSS235106.010.135.050	2.35	1.06	2.4	0.5	0.1	1.35	0.5

**NEW**
**RINGING STAINLESS STEEL FRETS (CT):**

	Dimensions, mm				
	Crown width B	Crown height E	Fret height A	Tang width D	
	RSS165062	1.65	0.62	2.25	0.5
	RSS210128	2.1	1.28	2.68	0.5
	RSS215110	2.15	1.1	2.5	0.5
	RSS228118	2.28	1.18	2.58	0.5
	RSS230124	2.3	1.24	2.59	0.5
	RSS230140	2.3	1.4	2.79	0.5
	RSS250118	2.5	1.18	2.77	0.5
	RSS270096	2.70	0.96	2.55	0.5
	RSS277140	2.77	1.4	3.3	0.5

<b>SPECIAL BRASS FRETS (CT):</b>				
<b>Sintoms fret code</b>	<b>Dimensions, mm</b>			
	<b>Crown width B</b>	<b>Crown height E</b>	<b>Fret height A</b>	<b>Tang width D</b>
<b>SB215100</b>	2.15	1.0	2.75	0.5

**NEW  
NEW**

<b>SPECIAL BRONZE FRETS (CT):</b>				
<b>Sintoms fret code</b>	<b>Dimensions, mm</b>			
	<b>Crown width B</b>	<b>Crown height E</b>	<b>Fret height A</b>	<b>Tang width D</b>
<b>SBZ230140</b>	2.3	1.4	2.82	0.5
<b>SBZ280140</b>	2.8	1.4	3.2	0.7
<b>SBZ290133</b>	2.9	1.33	3.2	0.7
<b>SBZ300152</b>	3.0	1.52	3.17	0.5

<b>SPECIAL BRONZE FRILL FRETS (FT):</b>						
<b>Sintoms fret code</b>	<b>Dimensions, mm</b>					
	<b>Crown width B</b>	<b>Crown height E</b>	<b>Fret height A</b>	<b>Tang width D</b>	<b>Radius R</b>	<b>Radius R1</b>
	<b>FRFSBZ248138</b>	2.48	1.38	2.56	0.5	1.5

**NEW**

<b>SPECIAL TITANIUM FRETS (CT):</b>				
<b>Sintoms fret code</b>	<b>Dimensions, mm</b>			
	<b>Crown width B</b>	<b>Crown height E</b>	<b>Fret height A</b>	<b>Tang width D</b>
<b>STI210109</b>	2.10	1.09	2.42	0.5
<b>STI230140</b>	2.30	1.40	2.72	0.5
<b>STI250122</b>	2.50	1.22	2.65	0.5
<b>STI265124</b>	2.65	1.24	2.73	0.5
<b>STI280150</b>	2.80	1.50	2.80	0.5

**NEW**

<b>SPECIAL ZIRCONIUM FRETS (CT):</b>				
<b>Sintoms fret code</b>	<b>Dimensions, mm</b>			
	<b>Crown width B</b>	<b>Crown height E</b>	<b>Fret height A</b>	<b>Tang width D</b>
<b>SZR215110</b>	2.15	1.1	2.49	0.5
<b>SZR230140</b>	2.3	1.4	2.79	0.5
<b>SZR250118</b>	2.5	1.18	2.75	0.5
<b>SZR265105</b>	2.65	1.05	2.55	0.5
<b>SZR277140</b>	2.77	1.4	3.3	0.5

<b>NONALLERGENIC FRETS (CT):</b>				
<b>Sintoms fret code</b>	<b>Dimensions, mm</b>			
	<b>Crown width B</b>	<b>Crown height E</b>	<b>Fret height A</b>	<b>Tang width D</b>
<b>NA230140</b>	2.3	1.4	2.8	0.5
<b>NA249119</b>	2.49	1.19	2.8	0.5

Raw metal: German nickel silver 8%, 12% and 18% hardness: soft, standard and extra hard;  
 Stainless steel, Ringing stainless steel, Special brass, Special bronze, Special zirconium, Special titanium, Nonallergenic metal.